

**ATC-1325-8T CNC radne površine 1500 x 2500mm sa  
automatskom izmjenom do 8 alata**



# ATC-1325-8T



Model	ATC-1325-8T		
Series	specification	parameter	
1	work stroke	X	1300mm
		Y	2500mm
		Z	200mm
2	accuracy	accuracy	0.05mm
		repeated accuracy	0.02mm
3	structure	table	vaccum 6 areas
		transmission way	XY gear rack, Z screw
4	speed	work speed	X/Y: 20000mm/min ; Z: 15000mm/min
5	spindle	power	6kw automatic tool change air cooled spindle
		speed	0~18000r/min
6	magazine	tool change time	5S
		tool chuck	ISO30-ER32
7	driving system		Delta servo
8	work voltage		AC380V/50Hz
9	work format		G code or NC
10	control system		Nc Studio
11	vaccum power		7.5KW
12	dust collector power		3.0KW
13	dimension		2500mm×3200mm×2000mm
14	N.W		≈2000kg
15	G.W		≈2300kg

## ATC-1325-8T



### Features:

- ◆Stable structure by heavy steel welding, five axis milling machine processing, ensure machine accuracy is higher , Tempering aging treatment, firm without deformation.
- ◆Taiwan linear guide rail, ball screw, heavy load bearing force, precise cutting;
- ◆Leadshine customized driving system,High torque and complete safety system;
- ◆ATC tool system with 4 pcs tools, available for various complicated process requirements and greatly improve production efficiency.
- ◆high power vaccum table with 6 work areas which can be processed in single area or simultaneously, improve production efficiency.
- ◆Compatible with any advanced CAM/CAD software :such as Type3/Artcam/CAXA/UG/Pro-E/Mastercam etc.

# ATC-1325-8T



## Application:

- ◆Advertising and decoration industry: Acrylic, window, aluminum plastic board, decorative materials, middle board
- ◆Wood doors and furniture decoration industry: solid wood and compound doors, cabinet doors, large-area plate plane carving, solid wood carving and milling, board furniture carving, antique mahogany furniture carving, solid wood art mural carving and other industries;

